clarity™
hearing + balance

# Dizziness Questionnaire 1/4

Please submit this questionnaire prior to your appointment

## Patient's Details:

Name: _____ DOB: _____

Address: _____ Phone/Mobile: _____

_____ Gender: ☐ Female ☐ Male

## The following questions refer to your feeling of dizziness. Please fill in all the blanks.

Please describe in your own words the off balance/vertigo/dizzy symptom sensation you feel without using the word "dizzy". If there are more than one distinct type of sensation please describe both:

_____

_____

_____

_____

_____

Please describe if any significant events which led up to the initial off balance/vertigo/dizzy symptom sensation you feel (eg cold or flu symptoms, flight, head trauma):

_____

_____

_____

_____

_____

Do you ever have any of the following sensations? Select only those that apply.

- ☐ Spinning in circles
- ☐ Falling to one side
- ☐ World spinning around you

## The following questions refer to typical dizzy spells. Select only those that apply and answer as appropriate.

- ☐ Do your dizzy spells come in attacks?
  How often? _____
  How long do/did the attacks last for? Seconds/ minutes/hours/days/weeks/months/constant: If more than one type of dizziness describe both:
  _____
  _____
  Date of first spell/attack? _____
- ☐ Are you currently feeling dizzy?
- ☐ Are you free from dizziness between attacks?
- ☐ Are you dizzy or unsteady constantly?
- ☐ Do you get any warning the dizziness is about to start?
  What are the warning signs?
  _____
- ☐ Are you dizzy at certain times of the day or night?
  If so which? _____
- ☐ Did you take any medications (inc strong antibiotics, chemotherapy, quinine etc) prior to symptom onset?
  If yes what were they?
  _____
  _____
- ☐ Did you have any cold or flu like symptoms prior to onset?
- ☐ Does your hearing change with an attack?
- ☐ Do you only get dizzy when you move?
- ☐ Are you dizzy mainly when you sit or stand up quickly?
- ☐ Are you dizzy when you look up, down or bend forward or backwards?
  If so which? _____
- ☐ Are you dizzy if you roll over in bed?
  If so in the right or left side? _____
- ☐ Are you dizzier in certain positions?
  Which position?
  _____

**To contact us:**
Phone: **1300 CLARITY (1300 252 748)**
Email: enquiries@clarityhearingsolutions.com.au
Web: www.clarityhearingsolutions.com.au
HealthLink EDI: clarityh

Fax: Brisbane/South East Qld 07 3366 5533
Mackay 07 4957 2211
Townsville/Regional Qld 07 4779 1866

**Clinics at:** Ayr | Barcaldine | Bowen | Bribie Island | Brisbane | Caboolture | Carindale | Carseldine | Charleville | Charters Towers | Clayfield | Clermont | Collinsville | Emerald | Gladstone | Gold Coast | Hughenden | Ingham | Ipswich | Kirwan | Loganholme | Longreach | Mackay | Mitchell Mt Isa | Palm Island | Proserpine | Quilpie | Richmond | Rockhampton | Roma | Sarina | Spring Hill | Sunnybank | Townsville

clarity™
hearing + balance

# Dizziness Questionnaire 2/4

Please submit this questionnaire prior to your appointment

- ☐ Are you nauseated during an attack?
- ☐ Are you dizzy even when lying down?
- ☐ Does closing your eyes make your dizziness worse?
- ☐ Are you better if you sit or lie perfectly still?
- ☐ Have you had a recent cold or flu preceding recent dizzy spells?
- ☐ Have you had fullness, pressure, or ringing in your ears?
- ☐ Have you had pain or discharge in your ear of recent onset?
- ☐ Do you have a loss of balance when walking in dark?
  If so veering to the right or left? _____
- ☐ Do you have a loss of balance when walking in the light?
  If so veering to the right or left? _____
- ☐ Do loud sounds make you dizzy?
- ☐ Do you get dizzy when you cough, sneeze, blow nose, bowel movement or other?
  If so which?

_____

Any other comments about your dizziness you feel is pertinent?

_____

_____

_____

_____

## The following refer to other sensations you may have. Select only those that apply and answer as appropriate.

- ☐ Do you black out or faint when dizzy?

Have you had:

- ☐ Severe or recurrent headaches or migraines?
- ☐ Light sensitivity or Auras leading up to or with your headaches or dizziness?
- ☐ Any double or blurry vision?
- ☐ Numbness in your face, ears or extremities?
  If so both sides, left or right? _____
- ☐ Weakness or clumsiness in arms, legs?
- ☐ Pain in the neck or shoulders?
- ☐ Slurred or difficult speech?
- ☐ Difficulty swallowing?
- ☐ Tingling around your mouth?
- ☐ Spots before your eyes?
- ☐ Jerking of arms or legs?
- ☐ Seizures?
- ☐ Confusion or memory loss?
- ☐ Recent head trauma? (If yes, please explain).

_____

_____

Any other sensation variables you feel is pertinent to your condition?

_____

_____

_____

_____

## The following refers to your hearing. Select only those that apply and indicate which side has been affected:

- ☐ Difficulty hearing in one ear?
  ☐ Left ☐ Right ☐ Both
- ☐ Ringing or buzzing in one ear?
  ☐ Left ☐ Right ☐ Both
- ☐ Fullness in one ear?
  ☐ Left ☐ Right ☐ Both
- ☐ Change in hearing and tinnitus volume when dizzy?
- ☐ Does your hearing fluctuate?
- ☐ Can you hear your heartbeat, eyes blinking, or any other internal sounds? Which sound and which ears?

  _____
  ☐ Left ☐ Right ☐ Both
- ☐ Own voice excessively loud?
  ☐ Left ☐ Right ☐ Both

Any other variables to do with your hearing you feel are pertinent?:

_____

_____

_____

_____

Have you had any of the following?

- ☐ Pain in ears?
  ☐ Left ☐ Right ☐ Both
- ☐ Discharge from ears?
  ☐ Left ☐ Right ☐ Both
- ☐ Hearing change for the better?
  ☐ Left ☐ Right ☐ Both
- ☐ Hearing change for the worse?
  ☐ Left ☐ Right ☐ Both
- ☐ Exposure to loud noises?
- ☐ Previous ear infections?
- ☐ Trauma to your ear(s)?
- ☐ Previous ear surgery?
  What? _____
- ☐ Family history of deafness?

clarity™
hearing + balance

# Dizziness Questionnaire 3/4

Please submit this questionnaire prior to your appointment

## The following refer to habits and lifestyle. Select only those that apply and answer as appropriate.

- ☐ Is there added stress to your life recently?

Is your dizziness related to:

- ☐ Moments of stress?
- ☐ Menstrual period?
- ☐ Overwork or exertion?
- ☐ Hunger?
- ☐ Emotional upset?
- ☐ Changes in weather/atmospheric pressure?
- ☐ Do you feel light-headed or have a swimming sensation when you are dizzy?
- ☐ Do you find yourself breathing faster or deeper when excited or dizzy?
- ☐ Did you recently change eyeglasses?
- ☐ Have you ever had weakness or faintness a few hours after eating?

Is your dizziness related to any of the following?

- ☐ Do you drink coffee?
  How much and how often? _____
- ☐ Do you drink tea?
  How much and how often? _____
- ☐ Do you drink soft drinks?
  How much and how often? _____
- ☐ Do you drink alcohol?
  How much and how often? _____
- ☐ Do you smoke?
  What? _____
  How much and how often? _____

Describe any other variables you feel may contribute to your dizziness:

## Past medical history

Please list your current medical problems and length of illness:

Please list all surgery performed and approximate dates:

Please list all allergies (including drugs) and reaction:

Please list all medicines you currently take for your dizziness that HAVE provided some relief or benefit with your symptoms:

Please list all medicines you currently take for your dizziness that HAVE NOT provided some relief or benefit for you:

Please list all medicines you currently take (including pain medicine, nonprescription medicine, nerve pills, sleeping pills, or birth control pills).

Have you had any previous testing eg hearing, x-rays, head scans, etc?

clarity™
hearing + balance

# Dizziness Questionnaire 4/4

Please submit this questionnaire prior to your appointment

## Family history

Any family history of any of the following? Select all that apply.

- ☐ Migraine?
- ☐ Off Balance/Vertigo/Dizziness or tinnitus?
- ☐ High blood pressure?
- ☐ Low blood pressure?
- ☐ Diabetes?
- ☐ Low blood sugar?
- ☐ Thyroid disease?
- ☐ Asthma?
- ☐ Multiple Sclerosis?

Please list any other diseases that run in your immediate family:

Any other comments you feel are pertinent to your condition:

## Declaration

I confirm that for my appointment I will:

- ☐ Not wear make-up
- ☐ Not eat anything for 8 hours prior
- ☐ have no caffeine for 12 hours prior
- ☐ Have no alcohol for 48 hours prior
- ☐ Have no nicotine (cigarettes, gum, patches etc) for 12 hours prior
- ☐ Not take - tranquilisers, sedatives, vestibular suppressants (eg Stemetil, Serc) and painkillers for 24 hours prior

☐ All information on this form is true and accurate

Signature

## Submit via email

Please complete and sign this questionnaire and submit to **enquiries@clarityhearingsolutions.com.au.**

Alternatively, complete electronically in Adobe Acrobat reader and submit via email by clicking the button below.

SUBMIT